SHENZHEN JOABOA TECHNOLOGY CO., LTD

Add: Floor 16th, No.2 North Area, Excellence City Central Square, Meilin, Futian Dist., Shenzhen, Guangdong, China

Tel: +86-755 3680 0118 Fax: +86-755 3305 2266 P.C.: 518049

Web: www.joaboa.net

WUHAN JOABOA TECHNOLOGY CO., LTD

Add: Honggang Village, Yangluo Economic Development District, Xinzhou, Wuhan. China

Tel: +86-27 8962 0511 Fax: +86-27 8962 0599 P.C.: 430415

HUBEI JOABOA BUILDING ENERGY SAVING TECHNOLOGY CO., LTD

Add: Honggang Village, Yangluo Economic Development District, Xinzhou, Wuhan, China

Tel: +86-27 8962 0509 Fax: +86-27 8962 0642

P.C.: 430415

CHENGDU JOABOA NEW CONSTRUCTION MATERIALS CO., LTD

Add: Zhoucheng Av., Sichuan Jintang Industry Park, Huaikou Town, Jintang County, Chengdu, Sichuan, China

Tel: +86-28 8415 0066 Fax: +86-28 8415 0066

P.C.: 610404

TIANJIN JOABOA TECHNOLOGY CO., LTD

Add: No. 24 Rd, South Area, Jinghai Economic Development Dist., Tianjin, China

Tel: +86-22 5900 3580

P.C.: 301600

FOSHAN TOYU CONSTRUCTION MATERIALS CO., LTD

Add: F1, NO. 73-1, North Area, Foshan Electronic Applicance Industry Base, Baini Town, Sanshui Dist., Foshan

Guangdong, China **Tel:** +86-757 8726 7138

P.C.: 528100

HUIZHOU JOABOA TECHNOLOGY CO., LTD

Add: Jiutan Lidong Industry Park, Yuanzhou Town, Boluo County, Huizhou, Guangdong, China

TOR JURBUR JURBU

JUHRUR JURRUR JU

JUHRUR JUHRUR JUHRUR JUHRUR JUHRUR JURRUR JU

HILL JUREAR JURE

JUHARUR JUHARU

Tel: +86-752 6981 176 Fax: +86-752 6981 176

IR JURBUR JURGUR JU


REUR JUREUR JURE

JURRUH JU JURRUR JU

TORRUR JUHHUH JURRUR JU

JURRAN JU

P.C.: 516129



JURIAN JURISH JU



JOABOA TPO Waterproof Membrane

JURGUR JU

JURRIN JU

JOABOA TECH China Pioneer of Waterproofing, Insulation & Decoration Integration

JOABOA® TPO Waterproof Membrane

Product Introduction

TPO waterproof membrane mainly consists of thermoplastic polyolefin and other resin materials. It's among the fastest growing roofing products and has gained broad industry acceptance for its great performance and installation advantages. There are three types: H(homogeneous), L(fleece backing) and P(fabric reinforced).



Product Features

- 1. With USA FM approval, VOC test report, SRI test report, which meet the LEED requirement.
- 2.Excellent low temperature flexibility: -40°C no cracking.
- 3. Outstanding durability: over 30 years service life.
- 4. High quality with imported main raw materials.
- 5. Excellent tensile strength and elongation property.
- 6.Low maintenance, cost effective and environment friendly.

Application Ranges







Steel structure roofs, exposed and unexposed concrete roofs, green roofs, metros, and tunnels.

Notes

- $1. TPO\ membrane\ in\ different\ types\ and\ specifications\ should\ be\ storage\ d\ sepetately\ during\ storage\ and\ transportation.$
- 2. Avoid sun and rain, keep ventilate and far away from fire source.

Specifications


Туре	Model	Thickness (mm)	Width (m)	Length (m)
Homogeneous	Н	1.2、1.5、2.0	2	20
Fleece backing	L	1.2、1.5、2.0	2	20
Fabric reinforced	Р	1.2、1.5、2.0	2.05	20

Note: other specifications can be offered according to agreement between buyers and suppliers.

Property Index

Standards: GB 27789-2011

Item		Index				
		Н	L	Р		
Tensile property	Maximum tension/(N/cm)		_	120	250	
	Elongation with maximum tension/% ≥		-	_	15	
	Elongation at break /%	W	500	250	-	
Low temperature flexibility /°C >>		-40°C,no crack				
Water impermeability ≥		0.3 MPa, impermeability within 2hs				
Impact resistance ≤		\forall	0.5kg·m, impermeable			
Peel strength of lap seam/(N/mm) ≥		*	4.0 or membrane is damaged	3.0		
Tear strength of trapezoid / N ≥		≽	-	250	450	
Thermal aging(115°C)	Retention rate of maximum tension / %	//	-	90	90	
	Elongation retention rate of maximum tension / %		-	-	90	
Chemical resistance	Retention rate of maximum tension / %		-	90	90	
	Elongation retention rate of maximum tension / %	W	-	_	90	
Artificial weathering	Retention rate of maximum tension / %	/	_	90	90	
	Elongation retention rate of maximum tension / %	M	-	-	90	



System Accessories

plastic socket and nail



Detail Treatment







Pipe treatment



Internal corner treatment



Roof skylight



Reinforcement treatment

Application Equipment





Welder



Electric screw driver



Electric hammer



Sealant gun

Landmark Projects






















FM Approval Certificate

